



भारत सरकार  
ICAR

F. No: 2-1/(18)/2016/ST  
To

ICAR- Central Research Institute for Dryland Agriculture  
Santoshnagar, Saidabad P.O. Hyderabad - 500 059.  
Ph : 040-24530161, 24530163, 24530157, 24530224,  
Fax : 040-24531802  
Web : www.crida.in; Email : stores@crida.in



Date:17/08/2016

Sub: Quotation is invited for **Procurement of Gas (empty) Cylinders** - Reg.  
Dear Sir(s),

**Quotation is invited for Procurement of Gas (empty) Cylinders cited below:**

S. No	Name of the Gas Cylinders	Quantity	Capacity
1.	Oxygen gas cylinder	1 No	46.7 Liters water capacity High Pressure Brand New Seamless Steel OXYGEN Cylinder (as per IS-7285 (part 2) 2004 Gas Rules, with Valve as per IS 3224:2002, Cylinder Outside dia 232 mm, Wall Thickness : 5.3 mm, Safety Cap and Hydrostatic stretch Test papers, With Government of Chief Controller of Explosives, BIS Certifications. Gas capacity -7m <sup>3</sup> , Hydrostatic test pressure -250 kgf/cm <sup>2</sup> Max. working pressure -150 kgs/cm <sup>2</sup> , Min. wall thickness - 5.5 mm Tare Weight (approx.) - 51 kgs Length-1370 mm.
2.	Acetylene gas cylinder	1 No	41.0 Liters Water Capacity High Pressure Brand New Seamless Steel ACETYLENE Cylinder ( as per IS - 7312), Three piece welded cylinders, Gas Capacity (approx.) - 6.0 cum., Inside Diameter of the Shell - 250 mm, Wall Thickness - 4.0 mm, Lenth(approx.) without Valve & Cap -960 mm, Working pressure -16 kgf/cm <sup>2</sup> , Test pressure -53 kgf/cm <sup>2</sup> . Mass compression strength - 22 Kgf/cm <sup>2</sup> minimum, Melting Temp. of Fusible plug : 100 + 4° C
3.	Regulators	2 Nos	Two stage regulator with inlet and outlet pressure gauges, Needle valve

**TERMS & CONDITIONS:**

- The last date for submission of quotation is on/before **15/09/2016**.
  - Rate offered shall be FOR, CRIDA, Santoshnagr, Hyderabad-500059
  - Quotations should be submitted in a sealed cover addressed to the Director, Central Research Institute for Dry land Agriculture, Santoshnagar, Saidabad Post, Hyderabad - 500059. The cover containing quotation should invariably be super scribed.
  - Enquiry F.No : **2-1/(18)/2016/ST**
    - Due on : **15/09/2016**
    - Purchase of Gas Cylinders**
  - The quotation should remain open for acceptance for a period of 90 days from the date (due date)
  - No advance payment/delivery against payment is permissible. However, the payment shall be arranged in 20 days from the date of submission of pre-receipted bill in triplicate along with stores.
  - The rates quoted should be net payable for each item for delivery at the Institute at the address given above (inclusive of all taxes, packing, forwarding, transport, insurance and excluding rebate/discount etc.)
  - This Institute is not in a position to supply any 'D' or 'C' forms.
  - While quoting the rates please mention the following:
    - > Approximate time for supply of stores from the date of placing order.
    - > Guarantee period
    - > In case you have got any rate contract with the DGS&D, the same may be indicated
    - > Any other condition
- Quotation which do not conform to the above terms and conditions will not be considered. The Director, Central Research Institute for Dryland Agriculture, reserves the right to accept or reject any or all quotations without assigning any reasons thereof.

Yours faithfully

(Er.C.V.K. N. Rao)  
Stores and Purchase Officer

\*\*\*\*\*

Web Site: www.crida.in Email: stores@crida.in Phone:(040) 24530161, 24532077, 24532243,  
2452265, 24530157, 24532099, 24532577 Fax No. 91-040- 24531802